

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/380,704</u>	Examiner : <u>Bunnex</u>	GAU : <u>1647</u>
From: <u>DP</u>	Location: <u>IDC</u> FMF FDC	Date: <u>12/12/05</u>

Tracking #: EPM 09/380,704 Week Date: 9/26/2005

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>2/26/03</u>	

[RUSH] MESSAGE: Continuing data on the palm bib sheet miss-match with specification. please provide Relationship Code for 08/816122.

Thank you

[XRUSH] RESPONSE: _____

INITIALS: _____

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04